

IMPORTANT: LHP providers who do not achieve a minimum Clinical Integration (CI) Score of 50% in 2017 will not be eligible for any incentive distribution and will be placed on a monitoring plan for the 2018 performance year.



For additional information about the minimum CI score requirement, read the 2017 Performance Threshold policy posted on the [LHP team site](#).

Fast Facts

2017 Clinical Integration Performance Measures

Practice Measures	Measure description <i>Based on whole practice performance.</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
Practice administrator completes LHP Clinical Integration education	Complete an online or an in-person clinical integration education session by September 30, 2017 . (Completion by June 30 receives full points; completion between July 1 and September 30 receives half points. No points earned after September 30.)	All practices	N/A	Completion
EHR adoption	Network practice adopts a Certified Electronic Health Record Technology (CEHRT), as specified by the Office of the National Coordinator (ONC), prior to December 29, 2017 .	All practices	N/A	Completion
Medical home status	For Family Medicine, Internal Medicine and Pediatric practices only : The practice has achieved medical home status of any NCQA PCMH level or has achieved Oregon PCPCH Tier 3 or higher by December 29, 2017 . Higher levels will result in higher points awarded. (Refer to 2017 CI Performance Handbook when it is available.)	Family Medicine, Internal Medicine, Pediatrics	N/A	Completion
Access & engagement survey	Complete and submit the Access & Engagement survey provided by LHP by June 30, 2017 .	All practices	N/A	Completion
Depression screening	For Family Medicine, Internal Medicine, Pediatrics and OB/GYN practices only : Utilize standardized assessment tools to complete depression screening for patients ages 12 and older. Assessment tools recognized for this measure include: PHQ-2, PHQ-9, PHQ-A, Rapid Assessment for Adolescent Preventive Services, Beck Youth Depression Inventory, Weinberg Depression Scale, Center for Epidemiologic Studies - Depression Scale (CES-D), or Edinburgh Postnatal Depression Scale (EPDS).	Family Medicine, Internal Medicine, Pediatrics, OB/GYN	N/A	Completion

Provider Measures	Measure description <i>Based on individual performance</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
Provider completes LHP Clinical Integration education	Complete an online or an in-person clinical integration education session by September 30, 2017 . (Completion by June 30 receives full points; completion between July 1 and September 30 receives half points. No points earned after September 30.)	All specialties	N/A	Completion
Provider completes one of six learning modules	Complete one of the following available learning modules by December 29, 2017 : Safe Opiate Prescribing, Introduction to Performance Excellence, SBIRT, Tobacco Screening and Cessation, Antimicrobial Stewardship, or Introduction to Motivational Interviewing.	All specialties	N/A	Completion
Legacy Spōk Sign-up	Adopt the use of Legacy's Spōk System (a secure text messaging system) by December 29, 2017 . <i>More information about how to sign up for Legacy's Spōk system coming in 2017.</i>	All specialties	N/A	Completion
Network Measures	Measure description <i>Based on whole network performance</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
PCP Identified at discharge	The percentage of LHP covered lives with a primary care provider (PCP) identified in the medical record at the time of discharge from an eligible hospital.	All specialties	82.9%	80%
Length of stay	The average length of stay for LHP covered lives with an inpatient admission at an eligible hospital.	All specialties	3.2	3.5
VTE-1: VTE Prophylaxis	The percentage of LHP covered lives ages 18 or older, who received venous thromboembolism (VTE) prophylaxis or have documentation why no VTE prophylaxis was given the day of or the day after hospital admission or surgery end date for surgeries that start the day of or the day after hospital admission.	All specialties	78%	82%
SBIRT (ED substance abuse screen)	The percentage of LHP covered lives with an ED visit who have been screened for alcohol or other substance abuse in an eligible hospital's ED.	Emergency Medicine	92.7%	92%
Perioperative pulmonary embolism or DVT rate	The number of perioperative pulmonary embolism or deep vein thrombosis (secondary diagnosis) per 1,000 surgical discharges for LHP covered lives ages 18 years and older.	Surgical specialties	0 per 1000	2.91 per 1000
Timeliness of discharge summary	The percent of LHP covered lives who had a completed discharge summary within 48 hours of discharge from an eligible hospital.	Hospitalists, Surgical specialties, OB/GYN, Cardiology	85.1%	87%

Network Measures (continued)	Measure description	Applicable specialties	Baseline	Target
24-hour ED and Urgent Care chart completion	The percentage of discharges of LHP covered lives from the ED or an Urgent Care facility where the patient had their note signed by an ED provider within 24 hours of discharge or had their encounter closed within 24 hours.	ED & Urgent Care	80%	85%
Surgical site infections (SSIs)	Observed inpatient Surgical Site Infections (SSI) for applicable procedures for all LHP covered lives in the last 12 months divided by the expected count of infections.	Surgical specialties, Gynecology	0.34	0.75
Elective delivery between 37 and 39 weeks	The percentage of LHP covered lives with elective vaginal deliveries or elective cesarean sections at greater than or equal to 37 and less than 39 weeks of gestation.	OB/GYN	6.7%	5%
ED visits per 1,000	The average number of emergency department facility visits per 1,000 members that were not admitted to an acute care facility. This includes ED visits to Legacy and Non-Legacy facilities.	All specialties	TBD	TBD
Readmission rate (30-day, any diagnosis)	The percentage of discharges of LHP covered lives for patients aged 18 and older, that had an all cause readmission within 30 days of hospital discharge.	All specialties	TBD	TBD
In-network coordination	The percentage of acute inpatient admissions for LHP covered lives admitted to an eligible hospital and/or Silverton and Unity.	All specialties	TBD	TBD
Well-child visits; 0-15 months – 5 or more	The percentage of LHP covered lives with 5 or more well-child visits in the first 15 months of life.	Family Medicine, Pediatrics	92.8%	94%
Well-child visits; 3-6 years – annual	The percentage of LHP covered lives with 1 or more well-child visits at the ages of 3, 4, 5 or 6.	Family Medicine, Pediatrics	79.8%	80%
Well-child visits; 13-17 years – annual	The percentage of LHP covered lives with 1 or more adolescent well visits at the ages of 13, 14, 15, 16 or 17.	Family Medicine, Pediatrics	46.1%	45%
Immunization rates up-to-date by 2 years	The percentage of LHP covered lives who turn 2 years of age during calendar year 2017 who are up-to-date on vaccinations (combo #5).	Family Medicine, Pediatrics	TBD	TBD
Breast cancer screening	The percentage of female LHP covered lives ages 50 to 74 years who had a mammogram to screen for breast cancer between October 1, 2015 and December 31, 2017.	Family Medicine, Internal Medicine, OB/GYN	77.8%	80%
Cervical cancer screening	The percentage of female LHP covered lives ages 21 to 64 years who have been appropriately screened for cervical cancer between January 1, 2015 and December 31, 2017.	Family Medicine, Internal Medicine, OB/GYN	76.7%	75%

Network Measures (continued)	Measure description	Applicable specialties	Baseline	Target
Colon cancer screening	The percentage of LHP covered lives ages 50 to 75 years who had appropriate screening for colorectal cancer between January 1, 2008 and December 31, 2017	Family Medicine, Internal Medicine	66.1%	65%
Diabetes care – eye exam	The percentage of LHP covered lives ages 18 to 75 with diabetes (type 1 or 2) who had a retinal eye exam performed.	Family Medicine, Internal Medicine, Endocrinology, Ophthalmology	59.9%	64%
Diabetes care – routine HbA1c	The percentage of LHP covered lives ages 18 to 75 with diabetes (type 1 or 2) who had a hemoglobin A1c test done.	Family Medicine, Internal Medicine, Endocrinology	94.1%	94%
Appropriate medications for asthma	The percentage of LHP covered lives ages 5 to 64 who were identified as having moderate to severe persistent asthma and who were dispensed a medication for a preferred therapy.	Family Medicine, Internal Medicine, Pediatrics	95.5%	95%
Lipid-lowering medication for CAD	The percentage of LHP covered lives with coronary artery disease who are on a lipid-lowering agent.	Family Medicine, Internal Medicine, Cardiology	78.2%	75%
Referrals for cardiac rehabilitation	The percentage of LHP covered lives admitted to an eligible hospital with a primary diagnosis of an acute myocardial infarction (MI) or chronic stable angina or who, during hospitalization, have undergone coronary artery bypass (CABG) surgery, a percutaneous coronary intervention (PCI), cardiac valve surgery (CVS), or cardiac transplantation who are referred to an early outpatient cardiac rehabilitation/secondary prevention (CR/SP) program.	Cardiology, Hospitalists	TBD	TBD
Generic medication prescribing rate	The rate of prescribing generic medication for select medications including antihyperlipidemics (statins), antihypertensives (beta-blockers, ACEi, ARB, calcium channel blockers) and mental health medications (antidepressants and antipsychotics). This includes all outpatient pharmacy claims for filled prescriptions for LHP covered lives.	All specialties	96.4%	96%

Questions: Email legacyhealthpartners@lhs.org or call 503-415-5109.

Visit the [LHP team site](#) for useful LHP tools and information.