

IMPORTANT: LHP providers who do not achieve a minimum CI Score in 2018 will not be eligible for incentive distribution and will be placed on a monitoring plan for the 2019 performance year.



For additional information, read the Performance Threshold policy posted on the [LHP Team Site](#)

Fast Facts

2018 Clinical Integration Performance Measures

Practice Measures	Measure description <i>Based on whole practice performance.</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
Practice administrator completes LHP Clinical Integration education	Complete an online or an in-person clinical integration education session by September 30, 2018 . (Completion by June 30 receives full points; completion between July 1 and September 30 receives half points. No points earned after September 30.)	All practices	N/A	Completion
Practice meets LHP Access Standards	Attest to meeting the LHP Access Standards by December 28, 2018 .	All practices	N/A	Completion
Depression screening	For Family Medicine, Internal Medicine, Pediatrics and OB/GYN practices only: Utilize standardized assessment tools to complete depression screening for patients ages 12 and older. Assessment tools recognized for this measure include: Beck Depression Inventory (BDI), Hamilton Depression Rating Scale, Major Depression Inventory, PHQ-2, PHQ-9, Zung Self-Rate Depression Scale, Beck Youth Depression Inventory, Center for Epidemiologic Studies – Depression Scale (CES-D), PHQ-9 modified for adolescents (PHQ-A), Rapid Assessment for Adolescent Preventive Services, Weinberg Depression Scale, Edinburgh Postnatal Depression Scale (EPDS), Cornell Scale for Depression in Dementia (CSDD), or Geriatric Depression Scale (GDS).	Family Medicine, Internal Medicine, Pediatrics, OB/GYN	N/A	Completion

Provider Measures	Measure description <i>Based on individual performance</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
Provider completes LHP Clinical Integration education	Complete an online or an in-person clinical integration education session by September 30, 2018 . (Completion by June 30 receives full points; completion between July 1 and September 30 receives half points. No points earned after September 30.)	All specialties	N/A	Completion
Provider completes one of eleven learning modules	Complete one of the following available learning modules by December 28, 2018 : Antimicrobial Stewardship, Introduction to Performance Excellence, Motivational Interviewing, Opiate Prescribing, Provider Wellness: Managing Difficult Interactions, Provider Wellness: Mindfulness Techniques, Quality Improvement: Getting Started in Your Clinic, SBIRT, Social Determinants of Health, Tobacco Screening and Cessation, or Understanding Risk Adjustment	All specialties	N/A	Completion

Provider & Network Measures	Measure description <i>Based on individual performance and reported for whole network performance</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
Breast cancer screening	The percentage of female LHP covered lives ages 50 to 74 years who had a mammogram to screen for breast cancer between October 1, 2016 and December 31, 2018.	Family Medicine, Internal Medicine, OB/GYN		
Cervical cancer screening	The percentage of female LHP covered lives ages 21 to 64 years who have been appropriately screened for cervical cancer between January 1, 2016 and December 31, 2018.	Family Medicine, Internal Medicine, OB/GYN		
Colon cancer screening	The percentage of LHP covered lives ages 50 to 75 years who had appropriate screening for colorectal cancer between January 1, 2009 and December 31, 2018	Family Medicine, Internal Medicine		
Immunization rates up-to-date by 2 years	The percentage of LHP covered lives who turn 2 years of age during the measurement year who are up-to-date on vaccinations (combo #5).	Family Medicine, Pediatrics		
Well-Child Visits in the First 15 Months of Life (6 or more visits)	The percentage of LHP covered lives who turned 15 months old during the measurement year and had 6 or more well-child visits with a primary care provider (PCP) during their first 15 months of life.	Family Medicine, Pediatrics		
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life	The percentage of LHP covered lives at the age of 3, 4, 5, or 6 who had one or more well-child visits with a primary care provider (PCP).	Family Medicine, Pediatrics		
Adolescent Well-Care Visits (ages 12-21)	The percentage of LHP covered lives 12-21 years of age who had at least one comprehensive well-care visit with a primary care provider (PCP) or an obstetrics and gynecology (OB/GYN) practitioner.	Family Medicine, Pediatrics		
Comprehensive Diabetes Care: Routine HbA1c	The percentage of LHP covered lives ages 18 to 75 with diabetes (type 1 or 2) who had a hemoglobin A1c test performed.	Family Medicine, Internal Medicine, Endocrinology		
Comprehensive Diabetes Care: Eye Exam	The percentage of LHP covered lives ages 18 to 75 with diabetes (type 1 or 2) who had a retinal eye exam performed.	Family Medicine, Internal Medicine, Endocrinology, Ophthalmology		

Network Measures	Measure description <i>Based on whole network performance</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
Admissions (per 1000)	The average number of LHP covered lives admitted to any hospital per 1,000 member months.	All specialties		
Readmission rate (30-day, any diagnosis)	The percentage of discharges of LHP covered lives for patients aged 18 and older, that had an all cause readmission within 30 days of hospital discharge.	All specialties		
ED visits (per 1000)	The average number of emergency department facility visits per 1,000 members that were not admitted to an acute care facility. This includes ED visits to Legacy and Non-Legacy facilities.	All specialties		
Length of stay	The average length of stay for LHP covered lives with an inpatient admission at an eligible hospital.	All specialties		
Generic medication prescribing rate	The rate of prescribing generic medications. This includes all outpatient pharmacy claims for filled prescriptions for LHP covered lives.	All specialties		
High-Tech Imaging Utilization	The average number of high-tech imaging exams performed per 1000 LHP covered lives.	All specialties		
Use of Imaging Studies for Low Back Pain	The percentage of LHP covered lives with a primary diagnosis of low back pain who did not have an imaging study (plain x-ray, magnetic resonance imaging [MRI], computed tomography [CT] scan) within 28 days of the diagnosis.	Emergency Medicine, Family Medicine, Internal Medicine,		
In-network coordination	The percentage of acute inpatient admissions for LHP covered lives admitted to an eligible hospital and/or Silverton and Unity.	All specialties		
PCP Identified at discharge	The percentage of LHP covered lives with a primary care provider (PCP) identified in the medical record at the time of discharge from an eligible hospital.	All specialties		
Timeliness of discharge summary	The percentage of LHP covered lives who had a completed discharge summary within 48 hours of discharge from an eligible hospital.	Hospitalists, Surgical specialties, OB/GYN, Cardiology		
24-hour ED and Urgent Care chart completion	The percentage of discharges of LHP covered lives from the ED or an Urgent Care facility where the patient had their note signed by an ED provider within 24 hours of discharge or had their urgent care encounter closed within 24 hours.	Emergency Medicine & Urgent Care		

Network Measures (continued)	Measure description <i>Based on whole network performance</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
VTE-1: VTE Prophylaxis	The percentage of LHP covered lives ages 18 or older, who received venous thromboembolism (VTE) prophylaxis or have documentation why no VTE prophylaxis was given the day of or the day after hospital admission or surgery end date for surgeries that start the day of or the day after hospital admission.	Hospitalists & Surgical specialties		
Perioperative pulmonary embolism or DVT rate	The number of perioperative pulmonary embolism or deep vein thrombosis (secondary diagnosis) per 1,000 surgical discharges for LHP covered lives ages 18 years and older.	Surgical specialties		
Appropriate Perioperative Antibiotic Selection	The percentage of LHP covered lives age 18 and older who underwent an applicable surgical procedure at an eligible hospital and had an order for an appropriate antimicrobial prophylaxis based on Legacy's "Adult Surgical Antibiotic Prophylaxis Recommendations."	OB/GYN & Surgical specialties		
Surgical site infections (SSIs)	The Standardized Infection Ratio (SIR) of observed inpatient Surgical Site Infections (SSI) for all applicable procedures for all adult LHP covered lives in the previous 12 months divided by Legacy's expected count of SSI's.	Surgical specialties, Gynecology		
Elective delivery between 37 and 39 weeks	The percentage of LHP covered lives with elective vaginal deliveries or elective cesarean sections at greater than or equal to 37 and less than 39 weeks of gestation.	OB/GYN		
Perioperative Temperature Management	The percentage of LHP covered lives, regardless of age, who underwent surgical or therapeutic procedures under general or neuraxial anesthesia of 60 minutes' duration or longer for whom at least one body temperature greater than or equal to 35.5 degrees Celsius (or 95.9 degrees Fahrenheit) was recorded within the 30 minutes immediately before or the 15 minutes immediately after anesthesia end time.	Anesthesiology		
SBIRT (ED substance abuse screen)	The percentage of LHP covered lives with an ED visit who have been screened for alcohol or other substance abuse in an eligible hospital's ED.	Emergency Medicine		
Appropriate Testing for Children with Pharyngitis	The percentage of LHP covered lives ages 3 to 18 years who were diagnosed with pharyngitis, dispensed an antibiotic, and received a group A streptococcus (strep) test.	Emergency Medicine, Family Medicine, Pediatrics, Urgent Care		

Network Measures (continued)	Measure description <i>Based on whole network performance</i>	Applicable specialties <i>Eligible to receive the points associated with the measure</i>	Baseline	Target
Comprehensive Diabetes Care: HbA1c Poor Control (>9.0%)	The percentage of LHP covered lives ages 18 to 75 years with diabetes (type 1 and type 2) whose most recent HbA1c level is greater than 9.0% (poorly controlled).	Family Medicine, Internal Medicine, Endocrinology		
Comprehensive Diabetes Care: Medical Attention for Nephropathy	The percentage of LHP covered lives ages 18 to 75 years with diabetes (type 1 and type 2) who had a nephropathy screening or monitoring test or evidence of nephropathy.	Family Medicine, Internal Medicine, Endocrinology		
Medication Management for People with Asthma	The percentage of LHP covered lives 5-85 years of age who were identified as having persistent asthma and were dispensed an asthma controller medication that they remained on for at least 75% of their treatment period.	Family Medicine, Internal Medicine, Pediatrics, Pulmonology		
Statin Therapy for Patients with Cardiovascular Disease	Percentage of male LHP covered lives age 21 to 75 years and female LHP covered lives age 40 to 75 years who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and who were dispensed at least one high- or moderate-intensity statin medication.	Family Medicine, Internal Medicine, Cardiology		
Referrals for cardiac rehabilitation	The percentage of LHP covered lives admitted to an eligible hospital with a primary diagnosis of an acute myocardial infarction (MI) or chronic stable angina or who, during hospitalization, have undergone coronary artery bypass (CABG) surgery, a percutaneous coronary intervention (PCI), cardiac valve surgery (CVS), or cardiac transplantation who are referred to an early outpatient cardiac rehabilitation/secondary prevention (CR/SP) program.	Cardiology, Hospitalists		
Controlling High Blood Pressure	The percentage of LHP covered lives 18 to 85 years of age who had a diagnosis of hypertension and whose most recent blood pressure (BP) was adequately controlled.	Family Medicine, Internal Medicine, Cardiology		
Inpatient Communication with Doctors: HCAHPS Domain Score	The average domain score for Legacy discharging providers on the HCAHPS inpatient satisfaction survey for the following three Doctor Communication questions: <ul style="list-style-type: none"> • Doctors treat you with courtesy and respect • Doctors listen carefully to you • Doctors explain things in a way that you understand 	Hospitalists, Cardiology, OB/GYN, Pulmonology, Surgical		

Questions: Email LegacyHealthPartners@lhs.org or call 503-415-5109.
Visit the [LHP team site](#) for useful LHP tools and information.