

Devers Scientist Publications 2003

Mansberger SL, Zangwill LM, Sample PA, Choi D, Weinreb RN.

Relationship of optic disk topography and visual function in patients with large cup-to-disk ratios.
Am J Ophthalmol. 2003 Nov;136(5):888-94.

Bui BV, Fortune B, Cull G, Wang L, Cioffi GA.

Baseline characteristics of the transient pattern electroretinogram in non-human primates: inter-ocular and inter-session variability.
Exp Eye Res. 2003 Nov;77(5):555-66.

Terry MA.

Deep lamellar endothelial keratoplasty (DLEK): pursuing the ideal goals of endothelial replacement.
Eye. 2003 Nov;17(8):982-8. Review.

Anderson AJ, Johnson CA.

Anatomy of a supergroup: does a criterion of normal perimetric performance generate a supernormal population?
Invest Ophthalmol Vis Sci. 2003 Nov;44(11):5043-8.

Turpin A, McKendrick AM, Johnson CA, Vingrys AJ.

Properties of perimetric threshold estimates from full threshold, ZEST, and SITA-like strategies, as determined by computer simulation.
Invest Ophthalmol Vis Sci. 2003 Nov;44(11):4787-95.

Beirne RO, Logan JF, Zlatkova MB, Jackson AJ, Rankin SJ, Demirel S, Anderson RS.

Peripheral resolution for achromatic and SWS gratings in early to moderate glaucoma and the implications for selective ganglion cell density loss.
Invest Ophthalmol Vis Sci. 2003 Nov;44(11):4780-6.

Terry MA, Ousley PJ.

In pursuit of emmetropia: spherical equivalent refraction results with deep lamellar endothelial keratoplasty (DLEK).
Cornea. 2003 Oct;22(7):619-26.

Fortune B, Wang L, Bui BV, Cull G, Dong J, Cioffi GA.

Local ganglion cell contributions to the macaque electroretinogram revealed by experimental nerve fiber layer bundle defect.
Invest Ophthalmol Vis Sci. 2003 Oct;44(10):4567-79.

Girkin C, Cioffi GA, Liebmann J.

Thin corneas and the risk of progression.
J Glaucoma. 2003 Oct;12(5):445-6; author reply 446. No abstract available.

Anderson AJ, Johnson CA.

Frequency-doubling technology perimetry and optical defocus.
Invest Ophthalmol Vis Sci. 2003 Sep;44(9):4147-52.

Vesti E, Johnson CA, Chauhan BC.

Comparison of different methods for detecting glaucomatous visual field progression.
Invest Ophthalmol Vis Sci. 2003 Sep;44(9):3873-9.

Cull G, Cioffi GA, Dong J, Homer L, Wang L.

Estimating normal optic nerve axon numbers in non-human primate eyes.
J Glaucoma. 2003 Aug;12(4):301-6.

Terry MA.

A new approach for endothelial transplantation: deep lamellar endothelial keratoplasty. *Int Ophthalmol Clin*. 2003 Summer;43(3):183-93. Review. No abstract available.

Van Buskirk EM.

Aphorisms of the hero.

J Glaucoma. 2003 Jun;12(3):189-92. No abstract available.

Anderson AJ, **Johnson CA.**

Frequency-doubling technology perimetry.

Ophthalmol Clin North Am. 2003 Jun;16(2):213-25. Review.

Keltner JL, **Johnson CA**, Cello KE, Edwards MA, Bandermann SE, Kass MA, Gordon MO; Ocular Hypertension Treatment Study Group.

Classification of visual field abnormalities in the ocular hypertension treatment study.

Arch Ophthalmol. 2003 May;121(5):643-50. Erratum in: *Arch Ophthalmol*. 2008

Apr;126(4):561.

Anderson AJ.

Spatial resolution of the tendency-oriented perimetry algorithm. *Invest Ophthalmol Vis Sci*. 2003 May;44(5):1962-8.

Van Buskirk EM.

The uncertain tonometer. *J Glaucoma*. 2003 Apr;12(2):95-7. No abstract available.

Terry MA, Ousley PJ.

Replacing the endothelium without corneal surface incisions or sutures: the first United States clinical series using the deep lamellar endothelial keratoplasty procedure. *Ophthalmology*. 2003 Apr;110(4):755-64; discussion 764.

Fortune B, Hood DC.

Conventional pattern-reversal VEPs are not equivalent to summed multifocal VEPs. *Invest Ophthalmol Vis Sci*. 2003 Mar;44(3):1364-75.

McKendrick AM, Anderson AJ, **Johnson CA**, **Fortune B.**

Appearance of the frequency doubling stimulus in normal subjects and patients with glaucoma. *Invest Ophthalmol Vis Sci*. 2003 Mar;44(3):1111-6.

Terry MA.

Endothelial replacement: the limbal pocket approach. *Ophthalmol Clin North Am*. 2003 Mar;16(1):103-12. Review.

Beck RW, Moke PS, Turpin AH, Ferris FL 3rd, SanGiovanni JP, **Johnson CA**, Birch EE, Chandler DL, Cox TA, Blair RC, Kraker RT.

A computerized method of visual acuity testing: adaptation of the early treatment of diabetic retinopathy study testing protocol.

Am J Ophthalmol. 2003 Feb;135(2):194-205.

Johnson CA, Sample PA, Zangwill LM, Vasile CG, **Cioffi GA**, Liebmann JR, Weinreb RN.

Structure and function evaluation (SAFE): II. Comparison of optic disk and visual field characteristics.

Am J Ophthalmol. 2003 Feb;135(2):148-54.

Spry PG, **Johnson CA**, McKendrick AM, Turpin A. Measurement error of visual field tests in glaucoma. *Br J Ophthalmol*. 2003 Jan;87(1):107-12.

Wang L, Dong J, Cull G, **Fortune B**, **Cioffi GA.**

Varicosities of intraretinal ganglion cell axons in human and nonhuman primates. *Invest Ophthalmol Vis Sci*. 2003 Jan;44(1):2-9.

Anderson AJ.

Utility of a dynamic termination criterion in the ZEST adaptive threshold method. *Vision Res*. 2003 Jan;43(2):165-70.

Anderson RS, Coulter E, Zlatkova MB, **Demirel S.**

Short-wavelength acuity: optical factors affecting detection and resolution of blue-yellow sinusoidal gratings in foveal and peripheral vision.

Vision Res. 2003 Jan;43(1):101-7.