

Provider: Unspecified, Provider

Clinscan Testing 2 9667

1225 NE 2nd Ave
Portland, OR 97232-

TEST-PATIENT-2 III, BONITA L

Age: 32 years DOB: 09/06/1983

Sex: Female

Med Nbr: 850000-00-65

Client Nbr: 9667

Legacy Laboratory Services

1225 NE Second Ave, Portland, OR 97232

(503) 413-1234 (877) 270-5566

HPV REPORT

Collected Date: 02/23/2016 05:00

Case Number: GV-16-0003554

HPVG Report

HPVG Specimen Source

Cervix

HPVG INTERPRETATION

HPV 16: Negative

HPV 18: Negative

Other High Risk HPV: Negative

Negative results indicate HPV DNA concentrations are undetectable or below the analytic limits. Detection of the presence of HPV depends on adequate specimen collection, absence of inhibitors and sufficient DNA.

Verified: 23-FEB-2016 07:06

HPVG Comments

High Risk HPV detection was performed using the FDA approved Roche Cobas-4800 PCR method. The assay is designed to detect the presence of HPV 16, 18 and other high-risk genotypes (31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68). Reference Range: Negative for high-risk HPV genotypes.

Pathology processing performed at Legacy Good Samaritan Lab, 1015 NW 22, Portland, OR unless otherwise stated.

Cytology and HPV technical and professional services performed at Legacy Central Lab, 1225 NE Second, Portland, OR unless otherwise specified.

Professional services provided by Cascade Pathology Services, 1015 NW 22, Portland, OR unless otherwise specified.

Received: 02/16/2016

Printed: 02/23/2016 11:36

TEST-PATIENT-2 III, BONITA L

Ordered by: Unspecified, Provider

Patient Phone: (503) 555-1111

RRID: 50964902

Copies to: Unspecified, Provider

Page 1 of 1

AP Client Chart