



## TEST UPDATES

Notification Date: February 2020

Test Description	Effective Date	Type of Change	Comments
<a href="#"><u>IRON DEFICIENCY PROFILE</u></a>	2/4/2020	Synonym(s)  Link to Web Site  Patient Preparation  Preferred Volume  Rejection Criteria  Stability  Note  CPT Code(s)	Updated to: <b>TOTAL IRON BINDING CAPACITY - TIBC - IRON SATURATION - TRANSFERRIN SATURATION – FERRITIN – FED</b>  Updated to: <b>Added link to LabAlert</b>  Updated to: <b>Specimen should be collected in the morning from patients who have fasted for at least 8 hours. Iron levels decrease by 30% during the course of the day. The patient should not take iron supplements at least 24 hours before blood is drawn.</b>  Updated to: <b>1.0 mL Serum/Plasma</b>  Updated to: <b>Moderately hemolyzed specimens</b>  Updated to: <b>SERUM OR PLASMA (SEPARATED FROM CELLS, POST COLLECTION): Room Temperature (18-26°C): 8 hours; Refrigerated (2-8°C): 2 days; Frozen (≤-20°C): 1 month</b>  Updated to: <b>Iron is performed to calculate TIBC and Iron Saturation.</b>  Updated to: <b>Iron: 83540; IBC: 83550; Ferritin: 82728</b>
<a href="#"><u>BCR-ABL1, QUALITATIVE WITH REFLEX TO BCR-ABL1 QUANTITATIVE</u></a>	2/5/2020	Minimum Volume  Performed  Reported  CPT Codes	Updated to: <b>4 mL Whole Blood or 1.0 mL Bone Marrow</b>  Updated to: <b>Sun-Sat</b>  Updated to: <b>6-9 days</b>  Updated to: <b>81206; 81207; 81208; If reflexed, add 81206 or 81207</b>

For questions, please call Laboratory Client Services at 503-413-1234 or Laboratory Outreach Client Support at 503-413-4190.



## TEST UPDATES

Notification Date: February 2020

Test Description	Effective Date	Type of Change	Comments
<a href="#"><u>COXSACKIE B VIRUS ANTIBODIES</u></a>	2/5/2020	Collect  Handling  Rejection Criteria	<p>Updated to: <b>Serum, one gold (SST) or plain red top tube</b></p> <p>Updated to: <b>Separate serum from cells within 2 hours of collection. Transfer 1 mL serum to an aliquot tube. Parallel testing is preferred, and convalescent specimens must be received within 30 days of the receipt of acute specimens. Mark specimens plainly as "acute" or "convalescent."</b></p> <p>Updated to: <b>CSF or Plasma. Contaminated, hemolyzed, or severely lipemic specimens.</b></p>
<a href="#"><u>RESPIRATORY PANEL BY PCR</u></a>	2/11/2020	Includes	<p>Updated to: <b>This assay DOES NOT test for the 2019 Novel Coronavirus (2019-nCoV).</b></p> <p><b>This test detects the following 19 viral and bacterial targets: Adenovirus, Coronavirus 229E, Coronavirus HKU1, Coronavirus NL63, Coronavirus OC43, Human metapneumovirus, Human rhinovirus/enterovirus, Influenza A, subtypes 2009H1N1, H1, H3, Influenza B, Parainfluenza virus types 1, 2, 3 and 4, Respiratory Syncytial Virus, Chlamydomphila pneumoniae, and Mycoplasma pneumoniae. Bordetella Pertussis will be included on outpatients.</b></p> <p><b>If Bordetella is suspected Legacy offers a B Pertussis DNA by PCR: <a href="#"><u>B PERTUSSIS DNA BY PCR</u></a></b></p>



## TEST UPDATES

Notification Date: February 2020

Test Description	Effective Date	Type of Change	Comments
<a href="#"><u>IRON BINDING CAPACITY, UNSATURATED (UIBC)</u></a>	2/4/2020	<p>Link to Web Site</p> <p>Patient Preparation</p> <p>Preferred Volume</p> <p>Handling</p> <p>Preferred Volume</p> <p>Rejection Criteria</p> <p>Stability</p> <p>Note</p>	<p>Updated to: <b>Added link to LabAlert</b></p> <p>Updated to: <b>Specimen should be collected in the morning from patients who have fasted for at least 8 hours. Iron levels decrease by 30% during the course of the day. The patient should not take iron supplements at least 24 hours before blood is drawn.</b></p> <p>Updated to: <b>1.0 mL Serum/Plasma</b></p> <p>Updated to: <b>Allow serum to clot completely at room temperature (minimum for SST: 30 minutes; minimum for red top tubes: 60 minutes).</b></p> <p><b>Centrifuge and separate serum or plasma from cells within 8 hours of collection. Avoid contamination with environmental iron. Use only Iron-free collection tubes, pipets and test tubes.</b></p> <p>Updated to: <b>1.0 mL Serum/Plasma</b></p> <p>Updated to: <b>Moderately hemolyzed specimens</b></p> <p>Updated to: <b>WHOLE BLOOD (UNSPUN): Room Temperature (18-26°C): 8 hours; Refrigerated (2-8°C): 8 hours; Frozen (≤-20°C): unacceptable</b></p> <p><b>SERUM (SEPARATED FROM CELLS, POST COLLECTION): Room Temperature (18-26°C): 4 days; Refrigerated (2-8°C): 7 days; Frozen (≤-20°C): 1 month</b></p> <p>Updated to: <b>Iron is performed to calculate TIBC and Iron Saturation.</b></p>
<a href="#"><u>STREPTOCOCCUS GROUP B BY PCR</u></a>	2/4/2020	Performed	Updated to: <b>Testing is performed at EH, MH, SC, and SV labs.</b>
<a href="#"><u>FERRITIN</u></a>	2/14/2020	Rejection Criteria	Updated to: <b>Moderately hemolyzed specimens</b>
<a href="#"><u>INSULIN, RANDOM</u></a>	2/14/2020	Guidelines	Updated to: <b>Aids in the detection of insulinoma. Do not use to diagnose diabetes mellitus.</b>

For questions, please call Laboratory Client Services at 503-413-1234 or Laboratory Outreach Client Support at 503-413-4190.



## TEST UPDATES

Notification Date: February 2020

Test Description	Effective Date	Type of Change	Comments
<a href="#"><u>RESPIRATORY PANEL BY PCR</u></a>	2/17/2020	Includes	<p>Updated to: <b>This assay DOES NOT test for COVID-19 (2019 Novel Coronavirus).</b></p> <p>This test detects the following 19 viral and bacterial targets: Adenovirus, Coronavirus 229E, Coronavirus HKU1, Coronavirus NL63, Coronavirus OC43, Human metapneumovirus, Human rhinovirus/enterovirus, Influenza A, subtypes 2009H1N1, H1, H3, Influenza B, Parainfluenza virus types 1, 2, 3 and 4, Respiratory Syncytial Virus, Chlamydomphila pneumoniae, and Mycoplasma pneumoniae. Bordetella Pertussis will be included on outpatients.</p> <p>If Bordetella is suspected Legacy offers a B Pertussis DNA by PCR: <b>B PERTUSSIS DNA BY PCR</b></p>
<a href="#"><u>THYROID STIMULATING IMMUNOGLOBULIN</u></a>	2/25/2020	Test Mnemonic Synonym Referral Lab	<p>Updated to: <b>TSAB</b></p> <p>Updated to: <b>Thyroid Stimulating Antibody</b></p> <p>Updated to: <b>ARUP (302287)</b></p>
<a href="#"><u>KAPPA AND LAMBDA FREE LIGHT CHAINS (BENCE JONES PROTEIN), QUANTITATIVE, URINE</u></a>	2/27/2020	Test Mnemonic Synonym Stability CPT Codes	<p>Updated to: <b>U IFE FLC</b></p> <p>Updated to: <b>Immunofixation with Free Light Chains</b></p> <p>Updated to: <b>Ambient: Unacceptable; Refrigerated: 3 weeks; Frozen: 6 months</b></p> <p>Updated to: <b>84156, 86335, 83520 x 2</b></p>