



LHS OUTREACH LAB

Carl D Test-Patient-3
 DOB: 6/17/1983 DOS:
 MRN: 8500000067
 CSN: 494591493

Coronavirus SARS-CoV-2 IgG Antibody

Results

Status: Final result (Collected: 6/16/2020 08:49)

6/16/2020 9:51 AM - Edi, Lab In Hlseven

Component

COVID-19 IgG Ab

Negative

Comment:

No antibodies to novel coronavirus SARS-CoV-2 detected. Negative results may occur in patients infected with coronavirus but tested before 10 days since post-symptom onset, or in immunocompromised patients. Clinical correlation is required. Retesting in 2 to 4 weeks may be helpful, if clinically appropriate. COVID-19 PCR testing is recommended to diagnose active infection.

NOTE: This chemiluminescent immunoassay (CIA) is designed for qualitative detection of IgG antibodies against spike proteins of the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). Preliminary studies suggest minimal cross-reactivity with other coronaviruses.

The performance characteristics of this test were validated in a manner consistent with CLIA requirements by Legacy Laboratory Services, 1225 NE Second Ave, Portland OR. This test has been approved by the FDA under EUA.

Lab and Collection

Coronavirus SARS-CoV-2 IgG Antibody - 6/16/2020

See Fact Sheet For Additional Information

Provider Fact Sheet

Patient Fact Sheet

Lab, Collection & Address - Click link for details

Coronavirus SARS-CoV-2 IgG Antibody (Order: 354559276) - 6/16/2020

View Smartlink Info

Coronavirus SARS-CoV-2 IgG Antibody (Order #354559276) on 6/16/20

Order Report