



LEGACY
LABORATORY
SERVICES

TEST UPDATES

Notification Date: May 2018

Test Description	Effective Date	Type of Change	Comments
<u>TRICHOMONAS VAGINALIS BY PCR</u>	05/01/2018	New Test	
<u>HELICOBACTER PYLORI ANTIBODY, IgG</u>	05/01/2018	Multiple	
<u>HERPES SIMPLEX VIRUS TYPE 1/2 GLYCOPROTEIN G-SPECIFIC, IgG</u>	05/01/2018	Multiple	
<u>HERPES SIMPLEX VIRUS TYPE 1 GLYCOPROTEIN G-SPECIFIC, IgG</u>	5/01/2018	Multiple	
<u>HERPES SIMPLEX VIRUS TYPE 2 GLYCOPROTEIN G-SPECIFIC, IgG</u>	05/01/2018	Multiple	
<u>MEASLES (RUBEOLA) IgG ANTIBODY</u>	05/01/2018	Multiple	
<u>MUMPS IgG ANTIBODY</u>	05/01/2018	Multiple	
<u>TOXOPLASMA GONDII IGG ANTIBODY</u>	05/01/2018	Multiple	
<u>VARICELLA ZOSTER VIRUS IgG ANTIBODY</u>	05/01/2018	Multiple	
<u>DOUBLE STRANDED DNA ANTIBODY</u>	05/01/2018	Multiple	
<u>EXTRACTABLE NUCLEAR ANTIGEN PANEL</u>	05/01/2018	Multiple	



LEGACY
LABORATORY
SERVICES

TEST UPDATES

Notification Date: May 2018

Test Description	Effective Date	Type of Change	Comments
<u>HELICOBACTER PYLORI ANTIBODY, IgA</u>	05/01/2018	Delete	
<u>RESPIRATORY PANEL BY PCR</u>	05/02/2018	Includes	
<u>ELECTROPHORESIS, SERUM PROTEIN</u>	5/07/2018	Minimum Volume	Updated to: 1.5 ml Serum (4.0 ml minimum whole blood draw)
<u>HEPATITIS ACUTE PANEL</u>	5/8/18	Stability	Updated to: BEFORE SEPARATION FROM CELLS: Refrigerated (2-8°C): 24 hours AFTER SEPARATION FROM CELLS: Ambient (18-26°C): 8 hours; Refrigerated (2-8°C): 48 hours; Frozen (≤ -20°C): 2 months
<u>HEPATITIS C ANTIBODY</u>	5/8/18	Stability	Updated to: BEFORE SEPARATION FROM CELLS: Refrigerated (2-8°C): 24 hours AFTER SEPARATION FROM CELLS: Ambient (18-26°C): 24 hours; Refrigerated (2-8°C): 7 days; Frozen (≤ -20°C): 2 months
<u>HEPATITIS CHRONIC PANEL</u>	5/8/18	Stability	Updated to: BEFORE SEPARATION FROM CELLS: Refrigerated (2-8°C): 24 hours AFTER SEPARATION FROM CELLS: Room Temperature (18-26°C): 8 hours; Refrigerated (2-8°C): 48 hours; Frozen (≤ -20°C): 2 months
<u>IMMUNOGLOBULIN PANEL</u>	5/8/18	Handling	Updated to: Allow serum to clot completely at room temperature (minimum for SST - 30 minutes and red top tubes - 60 minutes). Centrifuge and separate serum from cells within one hour of collection.
<u>IMMUNOGLOBULIN-A</u>	5/8/18	Handling	Updated to: Allow serum to clot completely at room temperature (minimum for SST - 30 minutes and red top tubes - 60 minutes). Centrifuge and separate serum from cells within one hour of collection.
<u>IMMUNOGLOBULIN-G, SERUM</u>	5/8/18	Handling	Updated to: Allow serum to clot completely at room temperature (minimum for SST - 30 minutes and red top tubes - 60 minutes). Centrifuge and separate serum from cells within one hour of collection.
<u>IMMUNOGLOBULIN-M</u>	5/8/18	Handling	Updated to: Allow serum to clot completely at room temperature (minimum for SST - 30 minutes and red top tubes - 60 minutes). Centrifuge and separate serum from cells within one hour of collection.



LEGACY
LABORATORY
SERVICES

TEST UPDATES

Notification Date: May 2018

Test Description	Effective Date	Type of Change	Comments
<u>AMMONIA</u>	5/8/18	Handling	Updated to: Separate from cells within 30 minutes of collection. Minimize exposure to air by keeping the tube sealed as much as possible. Send EDTA plasma to the lab on ice. LEGACY HOSPITAL INPATIENTS ONLY: The tube of whole blood is placed on wet ice (ca. 2-8°C) for transport and centrifuged immediately at 2-8°C. Perform analysis within 30 minutes.
<u>CULTURE, FUNGUS</u>	5/9/18	Multiple	
<u>ELECTROPHORESIS, SERUM PROTEIN</u>	5/11/18	Method	Updated to: Helena SPIFE 3000 Protein Electrophoresis, Beckman AU Colorimetry
<u>ELECTROPHORESIS, SERUM PROTEIN, WITH REFLEX IMMUNOFIXATION</u>	5/11/18	Method	Updated to: Helena SPIFE 3000 Protein Electrophoresis, Sebia Hydrasys Immunofixation, Siemens BN ProSpec Nephelometry, Beckman AU Colorimetry
<u>IMMUNOELECTROPHORESIS, SERUM</u>	5/11/18	Multiple	
<u>Jo1 ANTIBODIES, IgG</u>	5/16/18	Multiple	
<u>RIBOSOME P ANTIBODY IgG</u>	5/16/18	Multiple	
<u>SCLERODERMA ANTIBODY, IgG</u>	5/16/18	Multiple	
<u>SMITH (ENA) ANTIBODY, IgG</u>	5/16/18	Multiple	
<u>SSB (La) (ENA) ANTIBODY, IgG</u>	5/16/18	Multiple	
<u>RO 52 ANTIBODY, IgG</u>	5/16/18	New	
<u>RO 60 ANTIBODY, IgG</u>	5/16/18	New	



**LEGACY
LABORATORY
SERVICES**

TEST UPDATES

Notification Date: May 2018

Test Description	Effective Date	Type of Change	Comments
<u>ANTI-NUCLEAR ANTIBODY ELISA SCREEN REFLEX CASCADE</u>	5/18/18	Multiple	
<u>MLH1 METHYLATION</u>	5/21/18	New test	
<u>RESPIRATORY PANEL BY PCR</u>	5/22/18	Includes	Updated to: This test detects the following 19 viral and bacterial targets: Adenovirus, Coronavirus 229E, Coronavirus HKU1, Coronavirus NL63, Coronavirus OC43, Human metapneumovirus, Human rhinovirus/enterovirus, Influenza A, subtypes 2009H1N1, H1, H3, Influenza B, Parainfluenza virus types 1, 2, 3 and 4, Respiratory Syncytial Virus, Chlamydomphila pneumoniae, and Mycoplasma pneumoniae. Bordetella Pertussis may or may not be included dependent on methodology used.
<u>ALBUMIN/CREATININE RATIO, URINE</u>	5/23/18	Reference Range	Updated to: Albumin/Creatinine Ratio: 0-29 mg/gCR
<u>CALCIUM/CREATININE RATIO, URINE</u>	5/23/18	Reference Range	Updated to: Calcium/Creatinine Ratio: 0.00-0.19 mg/mgCR (0-199 mg/gCR)