



LEGACY  
LABORATORY  
SERVICES

## TEST UPDATES

Notification Date: October 2017

Test Description	Effective Date	Type of Change	Comments
<a href="#"><u>ROTEM</u></a>	9/27/17	Rejection Criteria	Added inpatient processing
<a href="#"><u>PLATELET FUNCTION SCREEN</u></a>	9/28/17	Handling	Updated handling instructions since GS staff no longer needs to be notified.
<a href="#"><u>RETICULOCYTE COUNT</u></a>	9/28/17	Stability	Specimens now acceptable up to 12 hours ambient and 48 hours refrigerated.
<a href="#"><u>METHADONE, QUANTITATIVE, SERUM</u></a>	10/9/17	Synonym, Notes	Synonym of Methadose was added.
<a href="#"><u>AMMONIA</u></a>	10/12/17	Rejection criteria	Updated to: Moderately hemolyzed specimens, lipemic specimens
<a href="#"><u>CYTOMEGALOVIRUS IgG ANTIBODY</u></a>	10/17/17	New test	Please see LabAlert: <a href="#"><u>Cytomegalovirus IgG Antibody</u></a>
<a href="#"><u>EPSTEIN-BARR VIRUS ANTIBODY PANEL</u></a>	10/17/17	New test	Please see LabAlert: <a href="#"><u>Epstein-Barr Virus Antibody Panel</u></a>
<a href="#"><u>LYME ANTIBODY SCREEN IGG/IGM</u></a>	10/17/17	New test	Please see LabAlert: <a href="#"><u>Lyme Ab Screen IgG/IgM &amp; Lyme Screen IgG/IgM w/Reflex</u></a>
<a href="#"><u>LYME SCREEN IGG/IGM REFLEX TO LYME WB</u></a>	10/17/17	New test	Please see LabAlert: <a href="#"><u>Lyme Ab Screen IgG/IgM &amp; Lyme Screen IgG/IgM w/Reflex</u></a>
<a href="#"><u>IMMATURE PLATELET FRACTION</u></a>	10/17/17	New test	
<a href="#"><u>RETICULOCYTE PANEL</u></a>	10/17/17	New test	
<a href="#"><u>LEAD, INDUSTRIAL EXPOSURE PANEL, ADULT</u></a>	10/19/17	New test	Please see LabAlert: <a href="#"><u>Lead Whole Blood -September 2017</u></a>



LEGACY  
LABORATORY  
SERVICES

## TEST UPDATES

Notification Date: October 2017

Test Description	Effective Date	Type of Change	Comments
<a href="#"><u>ZINC PROTOPORPHYRIN</u></a>	10/19/17	Multiple	Please see LabAlert: <a href="#"><u>Changes to Zinc Protoporphyrin Testing - September 2017</u></a>