

Legacy Research Institute

Devers Scientist publications 2002

Ousley PJ, **Terry MA**.

Use of a portable topography machine for screening donor tissue for prior refractive surgery.

Cornea. 2002 Nov;21(8):745-50.

Cioffi GA, Liebmann JM.

Translating the OHTS results into clinical practice.

J Glaucoma. 2002 Oct;11(5):375-7. No abstract available. Erratum in: J Glaucoma 2002 Dec;11(6):545.

Wilson MR, Kosoko O, Cowan CL Jr, Sample PA, **Johnson CA**, Haynatzki G, Enger C, Crandall D.

Progression of visual field loss in untreated glaucoma patients and glaucoma suspects in St. Lucia, West Indies.

Am J Ophthalmol. 2002 Sep;134(3):399-405.

Budenz DL, Rhee P, Feuer WJ, McSoley J, **Johnson CA**, Anderson DR.

Comparison of glaucomatous visual field defects using standard full threshold and Swedish interactive threshold algorithms.

Arch Ophthalmol. 2002 Sep;120(9):1136-41.

Fortune B, Cull G, Wang L, Van Buskirk EM, Cioffi GA.

Factors affecting the use of multifocal electroretinography to monitor function in a primate model of glaucoma.

Doc Ophthalmol. 2002 Sep;105(2):151-78.

Johnson CA, Sample PA, **Cioffi GA**, Liebmann JR, Weinreb RN.

Structure and function evaluation (SAFE): I. criteria for glaucomatous visual field loss using standard automated perimetry (SAP) and short wavelength automated perimetry (SWAP).

Am J Ophthalmol. 2002 Aug;134(2):177-85.

Sample PA, Goldbaum MH, Chan K, Boden C, Lee TW, Vasile C, Boehm AG, Sejnowski T, **Johnson CA**, Weinreb RN.

Using machine learning classifiers to identify glaucomatous change earlier in standard visual fields.

Invest Ophthalmol Vis Sci. 2002 Aug;43(8):2660-5. Erratum in: Invest Ophthalmol Vis Sci. 2003 May;44(5):1813.

Fortune B, Bearse MA Jr, **Cioffi GA**, **Johnson CA**.

Selective loss of an oscillatory component from temporal retinal multifocal ERG responses in glaucoma.

Invest Ophthalmol Vis Sci. 2002 Aug;43(8):2638-47.



Spry PG, **Johnson CA**.

Within-test variability of frequency-doubling perimetry using a 24-2 test pattern.

J Glaucoma. 2002 Aug;11(4):315-20.

Ennis FA, **Johnson CA**.

Are high-pass resolution perimetry thresholds sampling limited or optically limited?

Optom Vis Sci. 2002 Aug;79(8):506-11.

Gordon MO, Beiser JA, Brandt JD, Heuer DK, Higginbotham EJ, **Johnson CA**, Keltner JL, Miller JP, Parrish RK 2nd, Wilson MR, Kass MA.

The Ocular Hypertension Treatment Study: baseline factors that predict the onset of primary open-angle glaucoma.

Arch Ophthalmol. 2002 Jun;120(6):714-20; discussion 829-30.

Kass MA, Heuer DK, Higginbotham EJ, Johnson CA, Keltner JL, Miller JP,

Parrish RK 2nd, Wilson MR, Gordon MO.

The Ocular Hypertension Treatment Study: a randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma.

Arch Ophthalmol. 2002 Jun;120(6):701-13; discussion 829-30.

Cioffi GA.

If it chance your eye offend you: the blind painful eye.

J Glaucoma. 2002 Jun;11(3):171-2. No abstract available.

Budenz DL, Rhee P, Feuer WJ, McSoley J, **Johnson CA**, Anderson DR.

Sensitivity and specificity of the Swedish interactive threshold algorithm for glaucomatous visual field defects.

Ophthalmology. 2002 Jun;109(6):1052-8.

McKendrick AM, **Johnson CA**, Anderson AJ, **Fortune B**.

Elevated vernier acuity thresholds in glaucoma.

Invest Ophthalmol Vis Sci. 2002 May;43(5):1393-9.

Johnson CA.

Recent developments in automated perimetry in glaucoma diagnosis and management.

Curr Opin Ophthalmol. 2002 Apr;13(2):77-84. Review.

Wang L, Cioffi GA, Cull G, Dong J, Fortune B.

Immunohistologic evidence for retinal glial cell changes in human glaucoma.

Invest Ophthalmol Vis Sci. 2002 Apr;43(4):1088-94.

Ousley PJ, **Terry MA**.

Objective screening methods for prior refractive surgery in donor tissue.

Cornea. 2002 Mar;21(2):181-8.

Turpin A, McKendrick AM, **Johnson CA**, Vingrys AJ.

Performance of efficient test procedures for frequency-doubling technology perimetry in normal and glaucomatous eyes.

Invest Ophthalmol Vis Sci. 2002 Mar;43(3):709-15.

Johnson CA, Keltner JL, Cello KE, Edwards M, Kass MA, Gordon MO, Budenz DL, Gaasterland DE, Werner E; **Ocular Hypertension Study Group.**

Baseline visual field characteristics in the ocular hypertension treatment study.

Ophthalmology. 2002 Mar;109(3):432-7.

Brigell M, **Johnson CA**.

Visual field defects.

Seizure. 2002 Mar;11(2):139-40. No abstract available.

Spry PG, **Johnson CA**.

Identification of progressive glaucomatous visual field loss.

Surv Ophthalmol. 2002 Mar-Apr;47(2):158-73. Review.

Anderson AJ, **Johnson CA**.

Effect of spatial waveform on apparent spatial frequency.

Vision Res. 2002 Mar;42(6):725-32.

Spry PG, **Johnson CA**, Bates AB, Turpin A, Chauhan BC.

Spatial and temporal processing of threshold data for detection of progressive glaucomatous visual field loss.

Arch Ophthalmol. 2002 Feb;120(2):173-80.

McKendrick AM, Cioffi GA, **Johnson CA**.

Short-wavelength sensitivity deficits in patients with migraine.

Arch Ophthalmol. 2002 Feb;120(2):154-61.

Anderson AJ, Johnson CA.

Mechanisms isolated by frequency-doubling technology perimetry.

Invest Ophthalmol Vis Sci. 2002 Feb;43(2):398-401.

Turpin A, McKendrick AM, **Johnson CA**, Vingrys AJ.

Development of efficient threshold strategies for frequency doubling technology perimetry using computer simulation.

Invest Ophthalmol Vis Sci. 2002 Feb;43(2):322-31.

Girkin CA, Goldberg I, **Mansberger SL**, Shields JA, Shields CL.

Management of iris melanoma with secondary glaucoma.

J Glaucoma. 2002 Feb;11(1):71-4. No abstract available.

Vesti E, Spry PG, Chauhan BC, **Johnson CA**.

Sensitivity differences between real-patient and computer-stimulated visual fields.

J Glaucoma. 2002 Feb;11(1):35-45.

Anderson AJ, Johnson CA.

Effect of dichoptic adaptation on frequency-doubling perimetry.

Optom Vis Sci. 2002 Feb;79(2):88-92.

Fortune B, Johnson CA.

Decline of photopic multifocal electroretinogram responses with age is due primarily to preretinal optical factors.

J Opt Soc Am A Opt Image Sci Vis. 2002 Jan;19(1):173-84.